



NOTES:

1. TGSi'S MUST BE INSTALLED AT ALL NEW INTERSECTIONS, AND AS PART OF ANY INTERSECTION OR FOOTPATH UPGRADE WORKS.
2. REFER TO MCC403 FOR PEDESTRIAN CROSSING KERB RAMP DETAILS.
3. ALL TGSi MUST BE FIBRE REINFORCED OR CERAMIC, AND OBTAINED FROM VICROADS APPROVED SUPPLIERS (ROAD DESIGN NOTE (RDN) 06-05C - SUPPLIERS OF VICROADS ACCEPTED PRODUCTS).
4. THE INSTALLATION OF TGSi'S MUST BE AS PER THE SUPPLIERS SPECIFICATIONS AND AS1428.4.1.
5. RUBBER (STICK DOWN) TYPE TYSI WILL NOT BE ACCEPTED BY THE CITY OF MELTON RESULTING FROM CURRENT UNSATISFACTORY ADHESIVES UNTIL PROVEN OTHERWISE.
6. COUNCIL PREFERENCE IS FOR THE INSTALLATION OF IVORY TGSi, OTHER COLOURS WILL BE CONSIDERED SUBJECT TO THEIR COMPLIANCE WITH THE BELOW LUMINANCE CONTRAST REQUIREMENTS INCLUDING TESTING. TGSi'S WITHIN ACTIVITY CENTRES/SHOPPING STRIPS ARE TO BE CONSISTENT WITH THE STREETSCAPE DESIGN (CONSULT WITH COUNCIL DESIGN ENGINEER IF UNCLEAR).
7. TGSi'S MUST HAVE A MINIMUM LUMINANCE CONTRAST AS PER AS1428.4.1.
8. TGSi PRODUCTS MUST BE SLIP RESISTANCE TESTED.
9. TGSi DESIGN (SIZE AND SPACINGS) MUST BE COMPLIANT WITH AS1428.4.1.
10. TGSi'S MUST HAVE A MINIMUM GUARANTEE OF PRODUCT (INCLUDING UV RESISTANCE AND INSTALLATION) OF 5 YEARS.

E				
D				
C	-	-	-	
B	-	-	-	
A	M.H	06/2018	FINAL ISSUE	
ISSUE	APPD	DATE		AMENDMENT

GENERAL NOTES



DESIGN	L.SHE
DRAWN	L.SHE
CHECKED	M.HUTCHINSON
DATE	FEBRUARY 2018

PROJECT	STANDARD DRAWING - MCC404
DETAILS	TACTILES SURFACE INDICATORS DETAIL

N.T.S.	
SHEET 1 OF 1	PAPER A4
DRAWING No.	REV A
FILE NAME MCC 404 - TACTILE SURFACE INDICATORS DETAIL.DWG	

19/7/2018 2:47:30 PM